

# Safety Data Sheet

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

E-US-CY10

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Inkjet Printing

### 1.3. Details of the supplier of the safety data sheet

Manufacturer's name: Roland DG Corporation

Address: 1-1-2 Shinmiyakoda, Hamana-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103

Phone: + 81-53-484-1224

FAX: + 81-53-484-1226

E-mail:

Revised date: 1-April-2024

### 1.4. Emergency telephone:

## 2. Hazard identification

### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Sensitisation (Skin)	Category 1A
Reproductive toxicity	Category 1B
Specific target organ toxicity (Repeated exposure)	Category 2
Hazardous to the aquatic environment (Chronic Hazard)	Category 2

### 2.2. GHS label elements, including precautionary statements

Pictogram(s)



Signal Word:

Danger

Hazard Statement:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
Toxic to aquatic life with long lasting effects.

**Precautionary statements — Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Avoid release to the environment.  
Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statements — Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.

**2.3. Other hazards**

## Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)
Others:	No information.

### 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Phthalocyanine blue	147-14-8	<5	Not classified as hazardous
Cyclic trimethylolpropane formal acrylate	66492-51-1	30-60	Skin Irrit. 2: H315 Skin Sens. 1B: H317 Aquatic Chronic 2: H411
2-Propenoic acid, 2-phenoxyethyl ester	48145-04-6	10-30	Skin Sens. 1A: H317 Repr. 2: H361 Aquatic Chronic 2: H411
4-(1,1-dimethylethyl)cyclohexyl acrylate	84100-23-2	10-30	Skin Irrit. 2: H315 Eye Irrit. 2A: H319 Skin Sens. 1A: H317 STOT Single Exp. 3: H335 Aquatic Acute 1: H400 Aquatic Chronic 2: H411
N-vinylcaprolactam	2235-00-9	<10	Acute Tox. 4: H302 Acute Tox. 4: H312 Eye Irrit. 2A: H319 Skin Sens. 1B: H317 STOT Rep. Exp. 1: H372
Neopentylglycol propoxylate diacrylate	84170-74-1	1-5	Skin Sens. 1B: H317 Aquatic Chronic 2: H411
Trimethylolpropane triacrylate	15625-89-5	1-5	Not classified as hazardous
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	5-10	Repr. 2: H361
1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	1-5	Not classified as hazardous
Butylated Hydroxytoluene	128-37-0	<0.5	Aquatic Chronic 1: H410

† For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. First aid measures

### 4.1. Description of first aid measures

- Eyes:** In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open during flushing. Call a physician.
- Skin:** In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
- Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
- Ingestion:** If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

---

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.
Ingestion:	May cause injury of mouth, throat, and stomach.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

no information

## **5. Firefighting measures**

### **5.1. Extinguishing media**

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

### **5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

Flash Point: > 94deg.C

### **5.3. Advice for firefighters**

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

## **6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

### **6.2. Environmental precautions**

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

### **6.3. Methods and material for containment and cleaning up**

Sweep up material and dispose as waste following local regulations.

### **6.4. Reference to other sections**

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

## **7. Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

### 7.3 Specific end use(s): Inkjet Printing

## 8. Exposure controls/ personal protection

### 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

- Cyclic trimethylolpropane formal acrylate:
  - [Long term exposure] no hazard identified
  - [Short term exposure] no hazard identified
- 2-Propenoic acid, 2-phenoxyethyl ester:
  - [Long term exposure] 12 mg/m<sup>3</sup>
  - [Short term exposure] hazard unknown (no further information necessary)
- 4-(1,1-dimethylethyl)cyclohexyl acrylate:
  - [Long term exposure] 2.5 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- N-vinylcaprolactam:
  - [Long term exposure] 4.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- Neopentylglycol propoxylate diacrylate :
  - [Long term exposure] 32.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:
  - [Long term exposure] 0.822 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-:
  - [Long term exposure] 2.82 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified

### 8.2. Exposure controls

Appropriate engineering controls

Provide general and/or local exhaust ventilation.

Respiratory protection:

Not required when sufficient ventilation is provided. In case of inadequate ventilation and exposure limits are exceeded or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN149 approved respirator (with activated carbon layer for organic vapour).

**Hand protection:**

Employee must wear appropriate protective impervious gloves to prevent contact with the ink. Recommended Chemical Protective Gloves are EN420/374 approved ethylene vinyl alcohol (EVOH) Gloves and Laminate gloves. Laminate gloves are made by cutting and then heat-sealing patterns of various hand sizes from laminated sheets of EVOH sealed between layers of polyethylene.

**Eye protection:**

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear EN166 approved safety glasses.

**Skin protection:**

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

**Hygiene measures:**

Wash hands after handling. In case contact with clothing, wash before reuse. Do not eat, drink or smoke in handling or storage area.

**Environmental exposure control:**

Avoid release to the environment.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Cyan Liquid
Odour:	Characteristic odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	> 94deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1.0-1.1
Solubility(ies):	Slightly soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available

---

Oxidizing properties: No data available  
Volatile organic compounds (VOC) content: No data available

## 9.2 Other information

No information.

## 10. Stability and reactivity

### 10.1 Reactivity:

High temperatures and UV light may cause rapid polymerization.

### 10.2 Chemical stability:

Stable under normal temperature.

### 10.3 Possibility of hazardous reactions:

Not expected.

### 10.4 Conditions to avoid:

Elevated temperatures/heat, UV light, when not in use.

### 10.5 Incompatible materials:

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity:

N-vinylcaprolactam

LD50 (oral) : 1114mg/kgbw, LD50 (dermal): no data available, LD50 (Inhal.): no data available

#### Serious eye damage/eye irritation:

Causes serious eye irritation.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam

#### Skin corrosion/irritation:

Causes skin irritation.

- Cyclic trimethylolpropane formal acrylate
- 4-(1,1-dimethylethyl)cyclohexyl acrylate

#### Respiratory or skin sensitisation:

May cause an allergic skin reaction.

- Cyclic trimethylolpropane formal acrylate
- 2-Propenoic acid, 2-phenoxyethyl ester
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam
- Neopentylglycol propoxylate diacrylate

**Germ cell mutagenicity:**

no data available.

**Reproductive toxicity:**

Suspected of damaging fertility or the unborn child.

- 2-Propenoic acid, 2-phenoxyethyl ester
- diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

**Carcinogenicity:**

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

**Specific target organ toxicity - single exposure, (STOT-SE):**

no data available.

**Specific target organ toxicity - repeat exposure, (STOT-RE):**

Causes damage to organs through prolonged or repeated exposure.

- N-vinylcaprolactam

**Aspiration hazard:**

no data available.

## 12. Ecological information

### 12.1. Toxicity:

Very toxic to aquatic life.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate

Very toxic to aquatic life with long lasting effects.

- Butylated Hydroxytoluene

Toxic to aquatic life with long lasting effects.

- Cyclic trimethylolpropane formal acrylate
- 2-Propenoic acid, 2-phenoxyethyl ester
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- Neopentylglycol propoxylate diacrylate

### 12.2. Persistence and degradability:

No data available



**12.3. Bioaccumulative potential:**

No data available

**12.4. Mobility in soil:**

No data available

**12.5. Results of PBT and vPvB assessment:**

Has not carried out PBT and vPvB assessment.

**12.6. Other adverse effects:**

No data available

**13. Disposal considerations****13.1. Waste treatment methods**

Product: Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

**14. Transport information****14.1 UN Class/UN Number**

ADR/ADG/DOT, IMDG, or IATA : 3082

**14.2 UN proper shipping name**

ADR/ADG/DOT, IMDG, or IATA : Environmentall hazardous substance, liquid, n.o.s.

**14.3 Transport hazard class(es)**

ADR/ADG/DOT, IMDG, or IATA : 9

**14.4 Packing group**

ADR/ADG/DOT, IMDG, or IATA : III

**14.5 Environmental hazards**

ADR/ADG/DOT, IMDG, or IATA : Environmentally hazardous substance, liquid, n.o.s.

**14.6. Special precautions for user**

ADR/ADG/DOT, IMDG, or IATA : Transport and storage of the product in accordance with general precautions

---

and instructions mentioned in this SDS.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code: Not regulated

### 15. Regulatory information

EU Information: Chemical Safety Assessment according to (EC)1907/2006

This product has not carried out any Chemical Safety Assessment yet.

List of substances subject to SVHC - candidate list:

1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)- (CAS 71868-10-5)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (CAS 75980-60-8 )

International Information:

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

### 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

- H302: Harmful if swallowed.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation.
- H335: May cause respiratory irritation.
- H361: Suspected of damaging fertility or the unborn child.
- H361: Suspected of damaging fertility or the unborn child.
- H372: Causes damage to organs through prolonged or repeated exposure.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.

## Safety Data Sheet

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

E-US-MG10

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Inkjet Printing

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer's name: Roland DG Corporation

Address: 1-1-2 Shinmiyakoda, Hamana-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103

Phone: + 81-53-484-1224

FAX: + 81-53-484-1226

E-mail:

Revised date: 1-April-2024

#### 1.4. Emergency telephone:

### 2. Hazard identification

#### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Sensitisation (Skin)	Category 1A
Reproductive toxicity	Category 1B
Specific target organ toxicity (Repeated exposure)	Category 2
Hazardous to the aquatic environment (Chronic Hazard)	Category 2

#### 2.2. GHS label elements, including precautionary statements

Pictogram(s)



Signal Word:

Danger

Hazard Statement:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

**Precautionary statements — Prevention:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statements — Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

**2.3. Other hazards**

Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)
Others:	No information.

### 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
2-Propenoic acid, 2-phenoxyethyl ester	48145-04-6	30-60	Skin Sens. 1A: H317 Repr. 2: H361 Aquatic Chronic 2: H411
Cyclic trimethylolpropane formal acrylate	66492-51-1	10-30	Skin Irrit. 2: H315 Skin Sens. 1B: H317 Aquatic Chronic 2: H411
N-vinylcaprolactam	2235-00-9	5-10	Acute Tox. 4: H302 Acute Tox. 4: H312 Eye Irrit. 2A: H319 Skin Sens. 1B: H317 STOT Rep. Exp. 1: H372
Neopentylglycol propoxylate diacrylate	84170-74-1	1-5	Skin Sens. 1B: H317 Aquatic Chronic 2: H411
1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]- 2-(4-morpholinyl)-	71868-10-5	1-5	Repr. 1B: H360 Acute Tox. 4: H302 Aquatic Chronic 2: H411
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	1-5	Skin Sens. 1A: H317 Aquatic Chronic 4: H413
Trimethylolpropane triacrylate	15625-89-5	<1	Skin Irrit. 2: H315 Eye Irrit. 2: H319 Skin Sens. 1: H317
Butylated Hydroxytoluene	128-37-0	<0.5	Aquatic Chronic 1: H410

† For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. First aid measures

#### 4.1. Description of first aid measures

- Eyes:** In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open during flushing. Call a physician.
- Skin:** In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
- Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
- Ingestion:** If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Eyes:** Causes severe eye injury which may persist for several days.
- Skin:** Contact with skin may cause irritation, swelling or redness, allergic sensitization.
- Inhalation:** Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.

Ingestion: May cause injury of mouth, throat, and stomach.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

no information

### **5. Firefighting measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

Flash Point: > 94deg.C

#### **5.3. Advice for firefighters**

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

### **6. Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

#### **6.2. Environmental precautions**

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

#### **6.3. Methods and material for containment and cleaning up**

Sweep up material and dispose as waste following local regulations.

#### **6.4. Reference to other sections**

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

### **7. Handling and storage**

#### **7.1 Precautions for safe handling**

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

## 7.3 Specific end use(s): Inkjet Printing

# 8. Exposure controls/ personal protection

## 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

- 2-Propenoic acid, 2-phenoxyethyl ester:
  - [Long term exposure] 12 mg/m<sup>3</sup>
  - [Short term exposure] hazard unknown (no further information necessary)
- Cyclic trimethylolpropane formal acrylate:
  - [Long term exposure] no hazard identified
  - [Short term exposure] no hazard identified
- N-vinylcaprolactam:
  - [Long term exposure] 4.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- Neopentylglycol propoxylate diacrylate :
  - [Long term exposure] 32.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-:
  - [Long term exposure] 2.82 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide:
  - [Long term exposure] 21 mg/m<sup>3</sup>
  - [Short term exposure] hazard unknown (no further information necessary)

## 8.2. Exposure controls

Appropriate engineering controls

Provide general and/or local exhaust ventilation.

Respiratory protection:

Not required when sufficient ventilation is provided. In case of inadequate ventilation and exposure limits are exceeded or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN149 approved respirator (with activated carbon layer for organic vapour).

Hand protection:

Employee must wear appropriate protective impervious gloves to prevent contact with the ink. Recommended Chemical Protective Gloves are EN420/374 approved ethylene vinyl alcohol (EVOH) Gloves and Laminate gloves. Laminate gloves are made by cutting and then heat-sealing patterns of various hand sizes from laminated sheets of EVOH sealed between layers of polyethylene.

**Eye protection:**

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear EN166 approved safety glasses.

**Skin protection:**

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

**Hygiene measures:**

Wash hands after handling. In case contact with clothing, wash before reuse. Do not eat, drink or smoke in handling or storage area.

**Environmental exposure control:**

Avoid release to the environment.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Magenta Liquid
Odour:	Characteristic odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	> 94deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1.0-1.15
Solubility(ies):	Slightly soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	No data available

### 9.2 Other information

No information.



## 10. Stability and reactivity

### 10.1 Reactivity:

High temperatures and UV light may cause rapid polymerization.

### 10.2 Chemical stability:

Stable under normal temperature.

### 10.3 Possibility of hazardous reactions:

Not expected.

### 10.4 Conditions to avoid:

Elevated temperatures/heat, UV light, when not in use.

### 10.5 Incompatible materials:

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity:

N-vinylcaprolactam

LD50 (oral) : 1114mg/kgbw, LD50 (dermal): no data available, LD50 (Inhal.): no data available

1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-

LD50 (oral) : 1984mg/kgbw, LD50 (dermal): no data available, LD50 (Inhal.): no data available

#### Serious eye damage/eye irritation:

Causes serious eye irritation.

- N-vinylcaprolactam
- Trimethylolpropane triacrylate

#### Skin corrosion/irritation:

Causes skin irritation.

- Cyclic trimethylolpropane formal acrylate
- Trimethylolpropane triacrylate

#### Respiratory or skin sensitisation:

May cause an allergic skin reaction.

- 2-Propenoic acid, 2-phenoxyethyl ester
- Cyclic trimethylolpropane formal acrylate
- N-vinylcaprolactam

- Neopentylglycol propoxylate diacrylate
- Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide
- Trimethylolpropane triacrylate

**Germ cell mutagenicity:**

no data available.

**Reproductive toxicity:**

May damage fertility or the unborn child.

- 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-

Suspected of damaging fertility or the unborn child.

- 2-Propenoic acid, 2-phenoxyethyl ester

**Carcinogenicity:**

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

**Specific target organ toxicity - single exposure, (STOT-SE):**

no data available.

**Specific target organ toxicity - repeat exposure, (STOT-RE):**

Causes damage to organs through prolonged or repeated exposure.

- N-vinylcaprolactam

**Aspiration hazard:**

no data available.

## 12. Ecological information

### 12.1. Toxicity:

Very toxic to aquatic life with long lasting effects.

- Butylated Hydroxytoluene

Toxic to aquatic life with long lasting effects.

- 2-Propenoic acid, 2-phenoxyethyl ester
- Cyclic trimethylolpropane formal acrylate
- Neopentylglycol propoxylate diacrylate
- 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-

May cause long lasting harmful effects to aquatic life.

- Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

### 12.2. Persistence and degradability:

No data available

### 12.3. Bioaccumulative potential:

No data available

**12.4. Mobility in soil:**

No data available

**12.5. Results of PBT and vPvB assessment:**

Has not carried out PBT and vPvB assessment.

**12.6. Other adverse effects:**

No data available

**13. Disposal considerations****13.1. Waste treatment methods**

Product: Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

**14. Transport information****14.1 UN Class/UN Number**

ADR/ADG/DOT, IMDG, or IATA : 3082

**14.2 UN proper shipping name**

ADR/ADG/DOT, IMDG, or IATA : Environmentall hazardous substance, liquid, n.o.s.

**14.3 Transport hazard class(es)**

ADR/ADG/DOT, IMDG, or IATA : 9

**14.4 Packing group**

ADR/ADG/DOT, IMDG, or IATA : III

**14.5 Environmental hazards**

ADR/ADG/DOT, IMDG, or IATA : Environmentally hazardous substance, liquid, n.o.s.

**14.6. Special precautions for user**

ADR/ADG/DOT, IMDG, or IATA : Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code:** Not regulated

## 15. Regulatory information

EU Information: Chemical Safety Assessment according to (EC)1907/2006

This product has not carried out any Chemical Safety Assessment yet.

List of substances subject to SVHC - candidate list:

1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)- (CAS 71868-10-5)

International Information:

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

## 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

- H302: Harmful if swallowed.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation.
- H360: May damage fertility or the unborn child.
- H361: Suspected of damaging fertility or the unborn child.
- H372: Causes damage to organs through prolonged or repeated exposure.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.
- H413: May cause long lasting harmful effects to aquatic life.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.

# Safety Data Sheet

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

E-US-YE10

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Inkjet Printing

### 1.3. Details of the supplier of the safety data sheet

Manufacturer's name: Roland DG Corporation

Address: 1-1-2 Shinmiyakoda, Hamana-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103

Phone: + 81-53-484-1224

FAX: + 81-53-484-1226

E-mail:

Revised date: 1-April-2024

### 1.4. Emergency telephone:

## 2. Hazard identification

### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Sensitisation (Skin)	Category 1A
Reproductive toxicity	Category 1B
Specific target organ toxicity (Repeated exposure)	Category 2
Hazardous to the aquatic environment (Chronic Hazard)	Category 2

### 2.2. GHS label elements, including precautionary statements

Pictogram(s)



Signal Word:

Danger

Hazard Statement:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
Toxic to aquatic life with long lasting effects.

**Precautionary statements — Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Avoid release to the environment.  
Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statements — Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.

**2.3. Other hazards**

## Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	This product contains Nickel compounds. IARC evaluated printing ink as a Group 3. (IARC Group 3: Not classifiable as to carcinogenicity to humans)
Others:	No information.

### 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Pigment Yellow 150	68511-62-6	1-5	Not classified as hazardous
Cyclic trimethylolpropane formal acrylate	66492-51-1	30-60	Skin Irrit. 2: H315 Skin Sens. 1B: H317 Aquatic Chronic 2: H411
2-Propenoic acid, 2-phenoxyethyl ester	48145-04-6	10-30	Skin Sens. 1A: H317 Repr. 2: H361 Aquatic Chronic 2: H411
4-(1,1-dimethylethyl)cyclohexyl acrylate	84100-23-2	10-30	Skin Irrit. 2: H315 Eye Irrit. 2A: H319 Skin Sens. 1A: H317 STOT Single Exp. 3: H335 Aquatic Acute 1: H400 Aquatic Chronic 2: H411
N-vinylcaprolactam	2235-00-9	<10	Acute Tox. 4: H302 Acute Tox. 4: H312 Eye Irrit. 2A: H319 Skin Sens. 1B: H317 STOT Rep. Exp. 1: H372
Neopentylglycol propoxylate diacrylate	84170-74-1	5-10	Skin Sens. 1B: H317 Aquatic Chronic 2: H411
1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	1-5	Repr. 1B: H360 Acute Tox. 4: H302 Aquatic Chronic 2: H411
Trimethylolpropane triacrylate	15625-89-5	1-5	Skin Irrit. 2: H315 Eye Irrit. 2: H319 Skin Sens. 1: H317
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	1-5	Repr. 2: H361
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	1-5	Skin Sens. 1A: H317 Aquatic Chronic 4: H413
Butylated Hydroxytoluene	128-37-0	<0.5	Aquatic Chronic 1: H410

† For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. First aid measures

#### 4.1. Description of first aid measures

- Eyes: In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open during flushing. Call a physician.
- Skin: In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

Ingestion: If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Eyes: Causes severe eye injury which may persist for several days.

Skin: Contact with skin may cause irritation, swelling or redness, allergic sensitization.

Inhalation: Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.

Ingestion: May cause injury of mouth, throat, and stomach.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

no information

### **5. Firefighting measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

Flash Point: > 94deg.C

#### **5.3. Advice for firefighters**

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

### **6. Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

#### **6.2. Environmental precautions**

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

#### **6.3. Methods and material for containment and cleaning up**

Sweep up material and dispose as waste following local regulations.



## 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

## 7. Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

### 7.3 Specific end use(s): Inkjet Printing

## 8. Exposure controls/ personal protection

### 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

- Cyclic trimethylolpropane formal acrylate:
  - [Long term exposure] no hazard identified
  - [Short term exposure] no hazard identified
- 2-Propenoic acid, 2-phenoxyethyl ester:
  - [Long term exposure] 12 mg/m<sup>3</sup>
  - [Short term exposure] hazard unknown (no further information necessary)
- 4-(1,1-dimethylethyl)cyclohexyl acrylate:
  - [Long term exposure] 2.5 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- N-vinylcaprolactam:
  - [Long term exposure] 4.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- Neopentylglycol propoxylate diacrylate :
  - [Long term exposure] 32.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-:
  - [Long term exposure] 2.82 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:
  - [Long term exposure] 0.822 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide:
  - [Long term exposure] 21 mg/m<sup>3</sup>
  - [Short term exposure] hazard unknown (no further information necessary)

## 8.2. Exposure controls

### Appropriate engineering controls

Provide general and/or local exhaust ventilation.

### Respiratory protection:

Not required when sufficient ventilation is provided. In case of inadequate ventilation and exposure limits are exceeded or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN149 approved respirator (with activated carbon layer for organic vapour).

### Hand protection:

Employee must wear appropriate protective impervious gloves to prevent contact with the ink. Recommended Chemical Protective Gloves are EN420/374 approved ethylene vinyl alcohol (EVOH) Gloves and Laminate gloves. Laminate gloves are made by cutting and then heat-sealing patterns of various hand sizes from laminated sheets of EVOH sealed between layers of polyethylene.

### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear EN166 approved safety glasses.

### Skin protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

### Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse. Do not eat, drink or smoke in handling or storage area.

### Environmental exposure control:

Avoid release to the environment.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Yellow Liquid
Odour:	Characteristic odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	> 94deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available

Vapor density:	No data available
Relative density:	1.0-1.1
Solubility(ies):	Slightly soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	No data available

## 9.2 Other information

No information.

## 10. Stability and reactivity

### 10.1 Reactivity:

High temperatures and UV light may cause rapid polymerization.

### 10.2 Chemical stability:

Stable under normal temperature.

### 10.3 Possibility of hazardous reactions:

Not expected.

### 10.4 Conditions to avoid:

Elevated temperatures/heat, UV light, when not in use.

### 10.5 Incompatible materials:

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity:

N-vinylcaprolactam

LD50 (oral) : 1114mg/kgbw, LD50 (dermal): no data available, LD50 (Inhal.): no data available

1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-

LD50 (oral) : 1984mg/kgbw, LD50 (dermal): no data available, LD50 (Inhal.): no data available

#### Serious eye damage/eye irritation:

Causes serious eye irritation.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam
- Trimethylolpropane triacrylate

**Skin corrosion/irritation:**

Causes skin irritation.

- Cyclic trimethylolpropane formal acrylate
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- Trimethylolpropane triacrylate

**Respiratory or skin sensitisation:**

May cause an allergic skin reaction.

- Cyclic trimethylolpropane formal acrylate
- 2-Propenoic acid, 2-phenoxyethyl ester
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam
- Neopentylglycol propoxylate diacrylate
- Trimethylolpropane triacrylate
- Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

**Germ cell mutagenicity:**

no data available.

**Reproductive toxicity:**

May damage fertility or the unborn child.

- 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-

Suspected of damaging fertility or the unborn child.

- 2-Propenoic acid, 2-phenoxyethyl ester
- diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

**Carcinogenicity:**

This product contains Nickel compounds.

IARC evaluated printing ink as a Group 3.

(IARC Group 3: Not classifiable as to carcinogenicity to humans)

**Specific target organ toxicity - single exposure, (STOT-SE):**

no data available.

**Specific target organ toxicity - repeat exposure, (STOT-RE):**

Causes damage to organs through prolonged or repeated exposure.

- N-vinylcaprolactam

**Aspiration hazard:**

no data available.

## 12. Ecological information

### 12.1. Toxicity:

Very toxic to aquatic life.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate

Very toxic to aquatic life with long lasting effects.

- Butylated Hydroxytoluene

Toxic to aquatic life with long lasting effects.

- Cyclic trimethylolpropane formal acrylate
- 2-Propenoic acid, 2-phenoxyethyl ester
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- Neopentylglycol propoxylate diacrylate
- 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-

May cause long lasting harmful effects to aquatic life.

- Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

### 12.2. Persistence and degradability:

No data available

### 12.3. Bioaccumulative potential:

No data available

### 12.4. Mobility in soil:

No data available

### 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

### 12.6. Other adverse effects:

No data available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Product: Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

## 14. Transport information

### 14.1 UN Class/UN Number

ADR/ADG/DOT, IMDG, or IATA : 3082

### 14.2 UN proper shipping name

ADR/ADG/DOT, IMDG, or IATA : Environmentall hazardous substance, liquid, n.o.s.

### 14.3 Transport hazard class(es)

ADR/ADG/DOT, IMDG, or IATA : 9

### 14.4 Packing group

ADR/ADG/DOT, IMDG, or IATA : III

### 14.5 Environmental hazards

ADR/ADG/DOT, IMDG, or IATA : Environmentally hazardous substance, liquid, n.o.s.

### 14.6. Special precautions for user

ADR/ADG/DOT, IMDG, or IATA : Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code: Not regulated

## 15. Regulatory information

EU Information: Chemical Safety Assessment according to (EC)1907/2006

This product has not carried out any Chemical Safety Assessment yet.

List of substances subject to SVHC - candidate list:

1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)- (CAS 71868-10-5)

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (CAS 75980-60-8 )

International Information:

This product contains Nickel compounds.

IARC evaluated printing ink as a Group 3.

(IARC Group 3: Not classifiable as to carcinogenicity to humans)

## 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

— H302: Harmful if swallowed.

— H312: Harmful in contact with skin.

— H315: Causes skin irritation.

— H317: May cause an allergic skin reaction.

— H319: Causes serious eye irritation.

- H335: May cause respiratory irritation.
- H360: May damage fertility or the unborn child.
- H361: Suspected of damaging fertility or the unborn child.
- H361: Suspected of damaging fertility or the unborn child.
- H372: Causes damage to organs through prolonged or repeated exposure.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.
- H413: May cause long lasting harmful effects to aquatic life.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.

## Safety Data Sheet

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

E-US-BK10

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Inkjet Printing

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer's name: Roland DG Corporation

Address: 1-1-2 Shinmiyakoda, Hamana-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103

Phone: + 81-53-484-1224

FAX: + 81-53-484-1226

E-mail:

Revised date: 1-April-2024

#### 1.4. Emergency telephone:

### 2. Hazard identification

#### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Sensitisation (Skin)	Category 1A
Reproductive toxicity	Category 1B
Specific target organ toxicity (Repeated exposure)	Category 2
Hazardous to the aquatic environment (Chronic Hazard)	Category 2

#### 2.2. GHS label elements, including precautionary statements

Pictogram(s)



Signal Word:

Danger

Hazard Statement:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.



May damage fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
Toxic to aquatic life with long lasting effects.

**Precautionary statements — Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Avoid release to the environment.  
Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statements — Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.

**2.3. Other hazards**

## Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	This product contains Carbon black.IARC evaluated printing ink as a Group 3.(IARC Group 3: Not classifiable as to carcinogenicity to humans)
Others:	No information.

### 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Carbon Black	1333-86-4	1-5	Not classified as hazardous
2-Propenoic acid, 2-phenoxyethyl ester	48145-04-6	30-60	Skin Sens. 1A: H317 Repr. 2: H361 Aquatic Chronic 2: H411
Cyclic trimethylolpropane formal acrylate	66492-51-1	10-30	Skin Irrit. 2: H315 Skin Sens. 1B: H317 Aquatic Chronic 2: H411
4-(1,1-dimethylethyl)cyclohexyl acrylate	84100-23-2	<10	Skin Irrit. 2: H315 Eye Irrit. 2A: H319 Skin Sens. 1A: H317 STOT Single Exp. 3: H335 Aquatic Acute 1: H400 Aquatic Chronic 2: H411
N-vinylcaprolactam	2235-00-9	<10	Acute Tox. 4: H302 Acute Tox. 4: H312 Eye Irrit. 2A: H319 Skin Sens. 1B: H317 STOT Rep. Exp. 1: H372
Neopentylglycol propoxylate diacrylate	84170-74-1	5-10	Skin Sens. 1B: H317 Aquatic Chronic 2: H411
1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-	71868-10-5	1-5	Repr. 1B: H360 Acute Tox. 4: H302 Aquatic Chronic 2: H411
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	162881-26-7	1-5	Skin Sens. 1A: H317 Aquatic Chronic 4: H413
Trimethylolpropane triacrylate	15625-89-5	0-1	Skin Irrit. 2: H315 Eye Irrit. 2: H319 Skin Sens. 1: H317
Butylated Hydroxytoluene	128-37-0	<0.5	Aquatic Chronic 1: H410

† For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. First aid measures

### 4.1. Description of first aid measures

- Eyes:** In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open during flushing. Call a physician.
- Skin:** In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
- Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
- Ingestion:** If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Eyes: Causes severe eye injury which may persist for several days.
- Skin: Contact with skin may cause irritation, swelling or redness, allergic sensitization.
- Inhalation: Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.
- Ingestion: May cause injury of mouth, throat, and stomach.

#### 4.3. Indication of any immediate medical attention and special treatment needed

no information

### 5. Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

Flash Point: > 94deg.C

#### 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

#### 6.2. Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

#### 6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

#### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

## 7. Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

### 7.3 Specific end use(s): Inkjet Printing

## 8. Exposure controls/ personal protection

### 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

— Carbon Black:

[Long term exposure] no hazard identified

[Short term exposure] no hazard identified

— 2-Propenoic acid, 2-phenoxyethyl ester:

[Long term exposure] 12 mg/m<sup>3</sup>

[Short term exposure] hazard unknown (no further information necessary)

— Cyclic trimethylolpropane formal acrylate:

[Long term exposure] no hazard identified

[Short term exposure] no hazard identified

— 4-(1,1-dimethylethyl)cyclohexyl acrylate:

[Long term exposure] 2.5 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

— N-vinylcaprolactam:

[Long term exposure] 4.9 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

— Neopentylglycol propoxylate diacrylate :

[Long term exposure] 32.9 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

— 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-:

[Long term exposure] 2.82 mg/m<sup>3</sup>

[Short term exposure] no hazard identified

— Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide:

[Long term exposure] 21 mg/m<sup>3</sup>

[Short term exposure] hazard unknown (no further information necessary)

### 8.2. Exposure controls

Appropriate engineering controls

Provide general and/or local exhaust ventilation.

**Respiratory protection:**

Not required when sufficient ventilation is provided. In case of inadequate ventilation and exposure limits are exceeded or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN149 approved respirator (with activated carbon layer for organic vapour).

**Hand protection:**

Employee must wear appropriate protective impervious gloves to prevent contact with the ink. Recommended Chemical Protective Gloves are EN420/374 approved ethylene vinyl alcohol (EVOH) Gloves and Laminate gloves. Laminate gloves are made by cutting and then heat-sealing patterns of various hand sizes from laminated sheets of EVOH sealed between layers of polyethylene.

**Eye protection:**

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear EN166 approved safety glasses.

**Skin protection:**

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

**Hygiene measures:**

Wash hands after handling. In case contact with clothing, wash before reuse. Do not eat, drink or smoke in handling or storage area.

**Environmental exposure control:**

Avoid release to the environment.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Black Liquid
Odour:	Characteristic odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	> 94deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1.0-1.1
Solubility(ies):	Slightly soluble
Partition coefficient: n-octanol/water:	No data available

---

Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	No data available

## 9.2 Other information

No information.

## 10. Stability and reactivity

### 10.1 Reactivity:

High temperatures and UV light may cause rapid polymerization.

### 10.2 Chemical stability:

Stable under normal temperature.

### 10.3 Possibility of hazardous reactions:

Not expected.

### 10.4 Conditions to avoid:

Elevated temperatures/heat, UV light, when not in use.

### 10.5 Incompatible materials:

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity:

N-vinylcaprolactam

LD50 (oral) : 1114mg/kgbw, LD50 (dermal): no data available, LD50 (Inhal.): no data available

1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-

LD50 (oral) : 1984mg/kgbw, LD50 (dermal): no data available, LD50 (Inhal.): no data available

#### Serious eye damage/eye irritation:

Causes serious eye irritation.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam
- Trimethylolpropane triacrylate

**Skin corrosion/irritation:**

Causes skin irritation.

- Cyclic trimethylolpropane formal acrylate
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- Trimethylolpropane triacrylate

**Respiratory or skin sensitisation:**

May cause an allergic skin reaction.

- 2-Propenoic acid, 2-phenoxyethyl ester
- Cyclic trimethylolpropane formal acrylate
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam
- Neopentylglycol propoxylate diacrylate
- Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide
- Trimethylolpropane triacrylate

**Germ cell mutagenicity:**

no data available.

**Reproductive toxicity:**

May damage fertility or the unborn child.

- 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-

Suspected of damaging fertility or the unborn child.

- 2-Propenoic acid, 2-phenoxyethyl ester

**Carcinogenicity:**

This product contains Carbon black.

IARC evaluated printing ink as a Group 3.

(IARC Group 3: Not classifiable as to carcinogenicity to humans)

**Specific target organ toxicity - single exposure, (STOT-SE):**

no data available.

**Specific target organ toxicity - repeat exposure, (STOT-RE):**

Causes damage to organs through prolonged or repeated exposure.

- N-vinylcaprolactam

**Aspiration hazard:**

no data available.

## 12. Ecological information

### 12.1. Toxicity:

Very toxic to aquatic life.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate

Very toxic to aquatic life with long lasting effects.

- Butylated Hydroxytoluene

Toxic to aquatic life with long lasting effects.

- 2-Propenoic acid, 2-phenoxyethyl ester
- Cyclic trimethylolpropane formal acrylate
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- Neopentylglycol propoxylate diacrylate
- 1-Propanone,2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)-

May cause long lasting harmful effects to aquatic life.

- Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

## 12.2. Persistence and degradability:

No data available

## 12.3. Bioaccumulative potential:

No data available

## 12.4. Mobility in soil:

No data available

## 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

## 12.6. Other adverse effects:

No data available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Product: Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

## 14. Transport information

### 14.1 UN Class/UN Number



ADR/ADG/DOT, IMDG, or IATA : 3082

#### 14.2 UN proper shipping name

ADR/ADG/DOT, IMDG, or IATA : Environmentall hazardous substance, liquid, n.o.s.

#### 14.3 Transport hazard class(es)

ADR/ADG/DOT, IMDG, or IATA : 9

#### 14.4 Packing group

ADR/ADG/DOT, IMDG, or IATA : III

#### 14.5 Environmental hazards

ADR/ADG/DOT, IMDG, or IATA : Environmentally hazardous substance, liquid, n.o.s.

#### 14.6. Special precautions for user

ADR/ADG/DOT, IMDG, or IATA : Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code: Not regulated

### 15. Regulatory information

EU Information: Chemical Safety Assessment according to (EC)1907/2006

This product has not carried out any Chemical Safety Assessment yet.

List of substances subject to SVHC - candidate list:

1-Propanone, 2-methyl-1-[4-(methylthio)phenyl]-2-(4-morpholinyl)- (CAS 71868-10-5)

International Information:

This product contains Carbon black.

IARC evaluated printing ink as a Group 3.

(IARC Group 3: Not classifiable as to carcinogenicity to humans)

### 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

— H302: Harmful if swallowed.

— H312: Harmful in contact with skin.

— H315: Causes skin irritation.

— H317: May cause an allergic skin reaction.

— H319: Causes serious eye irritation.

— H335: May cause respiratory irritation.

— H360: May damage fertility or the unborn child.

— H361: Suspected of damaging fertility or the unborn child.

— H372: Causes damage to organs through prolonged or repeated exposure.

— H400: Very toxic to aquatic life.

- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.
- H413: May cause long lasting harmful effects to aquatic life.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.

# Safety Data Sheet

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

E-US-WH10

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Inkjet Printing

### 1.3. Details of the supplier of the safety data sheet

Manufacturer's name: Roland DG Corporation

Address: 1-1-2 Shinmiyakoda, Hamana-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103

Phone: + 81-53-484-1224

FAX: + 81-53-484-1226

E-mail:

Revised date: 1-April-2024

### 1.4. Emergency telephone:

## 2. Hazard identification

### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Sensitisation (Skin)	Category 1A
Reproductive toxicity	Category 2
Specific target organ toxicity (Single exposure)	Category 3
Specific target organ toxicity (Repeated exposure)	Category 2
Hazardous to the aquatic environment (Chronic Hazard)	Category 2

### 2.2. GHS label elements, including precautionary statements

#### Pictogram(s)



#### Signal Word:

Warning

#### Hazard Statement:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.  
Suspected of damaging fertility or the unborn child.  
May cause respiratory irritation.  
May cause damage to organs through prolonged or repeated exposure.  
Toxic to aquatic life with long lasting effects.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**Precautionary statements — Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Avoid release to the environment.  
Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statements — Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.

**2.3. Other hazards**

Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	This product contains Titanium dioxide. IARC evaluated printing ink as a Group 3. (IARC Group 3: Not classifiable as to carcinogenicity to humans)
Others:	No information.

### 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Titanium dioxide	13463-67-7	10-30	Not classified as hazardous
Cyclic trimethylolpropane formal acrylate	66492-51-1	10-30	Skin Irrit. 2: H315 Skin Sens. 1B: H317 Aquatic Chronic 2: H411
2-Propenoic acid, 2-phenoxyethyl ester	48145-04-6	10-30	Skin Sens. 1A: H317 Repr. 2: H361 Aquatic Chronic 2: H411
4-(1,1-dimethylethyl)cyclohexyl acrylate	84100-23-2	10-30	Skin Irrit. 2: H315 Eye Irrit. 2A: H319 Skin Sens. 1A: H317 STOT Single Exp. 3: H335 Aquatic Acute 1: H400 Aquatic Chronic 2: H411
N-vinylcaprolactam	2235-00-9	<10	Acute Tox. 4: H302 Acute Tox. 4: H312 Eye Irrit. 2A: H319 Skin Sens. 1B: H317 STOT Rep. Exp. 1: H372
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	5-10	Repr. 2: H361
Neopentylglycol propoxylate diacrylate	84170-74-1	1-5	Skin Sens. 1B: H317 Aquatic Chronic 2: H411
Butylated Hydroxytoluene	128-37-0	<0.5	Aquatic Chronic 1: H410

† For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. First aid measures

#### 4.1. Description of first aid measures

- Eyes:** In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open during flushing. Call a physician.
- Skin:** In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
- Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
- Ingestion:** If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Eyes:** Causes severe eye injury which may persist for several days.
- Skin:** Contact with skin may cause irritation, swelling or redness, allergic sensitization.
- Inhalation:** Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and

irritate nose, throat/respiratory system.

Ingestion: May cause injury of mouth, throat, and stomach.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

no information

### **5. Firefighting measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

Flash Point: > 94deg.C

#### **5.3. Advice for firefighters**

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

### **6. Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

#### **6.2. Environmental precautions**

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

#### **6.3. Methods and material for containment and cleaning up**

Sweep up material and dispose as waste following local regulations.

#### **6.4. Reference to other sections**

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

### **7. Handling and storage**

#### **7.1 Precautions for safe handling**

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

## 7.3 Specific end use(s): Inkjet Printing

# 8. Exposure controls/ personal protection

## 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

- Titanium dioxide:
  - [Long term exposure] no hazard identified
  - [Short term exposure] no hazard identified
- Cyclic trimethylolpropane formal acrylate:
  - [Long term exposure] no hazard identified
  - [Short term exposure] no hazard identified
- 2-Propenoic acid, 2-phenoxyethyl ester:
  - [Long term exposure] 12 mg/m<sup>3</sup>
  - [Short term exposure] hazard unknown (no further information necessary)
- 4-(1,1-dimethylethyl)cyclohexyl acrylate:
  - [Long term exposure] 2.5 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- N-vinylcaprolactam:
  - [Long term exposure] 4.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:
  - [Long term exposure] 0.822 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- Neopentylglycol propoxylate diacrylate :
  - [Long term exposure] 32.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified

## 8.2. Exposure controls

Appropriate engineering controls

Provide general and/or local exhaust ventilation.

Respiratory protection:

Not required when sufficient ventilation is provided. In case of inadequate ventilation and exposure limits are exceeded or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN149 approved respirator (with activated carbon layer for organic vapour).

Hand protection:

Employee must wear appropriate protective impervious gloves to prevent contact with the ink.

Recommended Chemical Protective Gloves are EN420/374 approved ethylene vinyl alcohol (EVOH) Gloves and Laminate gloves. Laminate gloves are made by cutting and then heat-sealing patterns of various hand sizes from laminated sheets of EVOH sealed between layers of polyethylene.

**Eye protection:**

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear EN166 approved safety glasses.

**Skin protection:**

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

**Hygiene measures:**

Wash hands after handling. In case contact with clothing, wash before reuse. Do not eat, drink or smoke in handling or storage area.

**Environmental exposure control:**

Avoid release to the environment.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	White Liquid
Odour:	Characteristic odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	> 94deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1.1-1.25
Solubility(ies):	Slightly soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	No data available



## 9.2 Other information

No information.

## 10. Stability and reactivity

### 10.1 Reactivity:

High temperatures and UV light may cause rapid polymerization.

### 10.2 Chemical stability:

Stable under normal temperature.

### 10.3 Possibility of hazardous reactions:

Not expected.

### 10.4 Conditions to avoid:

Elevated temperatures/heat, UV light, when not in use.

### 10.5 Incompatible materials:

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity:

N-vinylcaprolactam

LD50 (oral) : 1114mg/kgbw, LD50 (dermal): no data available, LD50 (Inhal.): no data available

#### Serious eye damage/eye irritation:

Causes serious eye irritation.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam

#### Skin corrosion/irritation:

Causes skin irritation.

- Cyclic trimethylolpropane formal acrylate
- 4-(1,1-dimethylethyl)cyclohexyl acrylate

#### Respiratory or skin sensitisation:

May cause an allergic skin reaction.

- Cyclic trimethylolpropane formal acrylate
- 2-Propenoic acid, 2-phenoxyethyl ester

- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam
- Neopentylglycol propoxylate diacrylate

**Germ cell mutagenicity:**

no data available.

**Reproductive toxicity:**

Suspected of damaging fertility or the unborn child.

- 2-Propenoic acid, 2-phenoxyethyl ester
- diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

**Carcinogenicity:**

This product contains Titanium dioxide.

IARC evaluated printing ink as a Group 3.

(IARC Group 3: Not classifiable as to carcinogenicity to humans)

**Specific target organ toxicity - single exposure, (STOT-SE):**

no data available.

**Specific target organ toxicity - repeat exposure, (STOT-RE):**

Causes damage to organs through prolonged or repeated exposure.

- N-vinylcaprolactam

**Aspiration hazard:**

no data available.

## 12. Ecological information

### 12.1. Toxicity:

Very toxic to aquatic life.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate

Very toxic to aquatic life with long lasting effects.

- Butylated Hydroxytoluene

Toxic to aquatic life with long lasting effects.

- Cyclic trimethylolpropane formal acrylate
- 2-Propenoic acid, 2-phenoxyethyl ester
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- Neopentylglycol propoxylate diacrylate

### 12.2. Persistence and degradability:

No data available

### 12.3. Bioaccumulative potential:

No data available

#### 12.4. Mobility in soil:

No data available

#### 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

#### 12.6. Other adverse effects:

No data available

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Product: Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

### 14. Transport information

#### 14.1 UN Class/UN Number

ADR/ADG/DOT, IMDG, or IATA : 3082

#### 14.2 UN proper shipping name

ADR/ADG/DOT, IMDG, or IATA : Environmentall hazardous substance, liquid, n.o.s.

#### 14.3 Transport hazard class(es)

ADR/ADG/DOT, IMDG, or IATA : 9

#### 14.4 Packing group

ADR/ADG/DOT, IMDG, or IATA : III

#### 14.5 Environmental hazards

ADR/ADG/DOT, IMDG, or IATA : Environmentally hazardous substance, liquid, n.o.s.

#### 14.6. Special precautions for user

ADR/ADG/DOT, IMDG, or IATA : Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code:** Not regulated**15. Regulatory information**

EU Information: Chemical Safety Assessment according to (EC)1907/2006

This product has not carried out any Chemical Safety Assessment yet.

List of substances subject to SVHC - candidate list

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (CAS 75980-60-8)

International Information:

This product contains Titanium dioxide.

IARC evaluated printing ink as a Group 3.

(IARC Group 3: Not classifiable as to carcinogenicity to humans)

**16. Other information**

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

- H302: Harmful if swallowed.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation.
- H335: May cause respiratory irritation.
- H361: Suspected of damaging fertility or the unborn child.
- H361: Suspected of damaging fertility or the unborn child.
- H372: Causes damage to organs through prolonged or repeated exposure.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.

# Safety Data Sheet

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

E-US-GL10

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Inkjet Printing

### 1.3. Details of the supplier of the safety data sheet

Manufacturer's name: Roland DG Corporation

Address: 1-1-2 Shinmiyakoda, Hamana-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103

Phone: + 81-53-484-1224

FAX: + 81-53-484-1226

E-mail:

Revised date: 1-April-2024

### 1.4. Emergency telephone:

## 2. Hazard identification

### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Sensitisation (Skin)	Category 1A
Reproductive toxicity	Category 2
Specific target organ toxicity (Repeated exposure)	Category 2
Hazardous to the aquatic environment (Chronic Hazard)	Category 2

### 2.2. GHS label elements, including precautionary statements

Pictogram(s)



Signal Word:

Warning

Hazard Statement:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
Toxic to aquatic life with long lasting effects.

**Precautionary statements — Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Avoid release to the environment.  
Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statements — Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/attention.  
If skin irritation or rash occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.

**2.3. Other hazards**

## Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)
Others:	No information.

### 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
2-Propenoic acid, 2-phenoxyethyl ester	48145-04-6	30-60	Skin Sens. 1A: H317 Repr. 2: H361 Aquatic Chronic 2: H411
Cyclic trimethylolpropane formal acrylate	66492-51-1	10-30	Skin Irrit. 2: H315 Skin Sens. 1B: H317 Aquatic Chronic 2: H411
4-(1,1-dimethylethyl)cyclohexyl acrylate	84100-23-2	<10	Skin Irrit. 2: H315 Eye Irrit. 2A: H319 Skin Sens. 1A: H317 STOT Single Exp. 3: H335 Aquatic Acute 1: H400 Aquatic Chronic 2: H411
N-vinylcaprolactam	2235-00-9	<10	Acute Tox. 4: H302 Acute Tox. 4: H312 Eye Irrit. 2A: H319 Skin Sens. 1B: H317 STOT Rep. Exp. 1: H372
diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	<10	Repr. 2: H361
Neopentylglycol propoxylate diacrylate	84170-74-1	1-5	Skin Sens. 1B: H317 Aquatic Chronic 2: H411
Butylated Hydroxytoluene	128-37-0	<0.5	Aquatic Chronic 1: H410

† For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. First aid measures

#### 4.1. Description of first aid measures

- Eyes:** In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open during flushing. Call a physician.
- Skin:** In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
- Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
- Ingestion:** If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Eyes:** Causes severe eye injury which may persist for several days.
- Skin:** Contact with skin may cause irritation, swelling or redness, allergic sensitization.
- Inhalation:** Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired fertility and irritate nose, throat/respiratory system.
- Ingestion:** May cause injury of mouth, throat, and stomach.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

no information

### **5. Firefighting measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

#### **5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

Flash Point: > 94deg.C

#### **5.3. Advice for firefighters**

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

### **6. Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

#### **6.2. Environmental precautions**

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

#### **6.3. Methods and material for containment and cleaning up**

Sweep up material and dispose as waste following local regulations.

#### **6.4. Reference to other sections**

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

### **7. Handling and storage**

#### **7.1 Precautions for safe handling**

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

#### **7.2 Conditions for safe storage, including any incompatibilities**



Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

### 7.3 Specific end use(s): Inkjet Printing

## 8. Exposure controls/ personal protection

### 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

- 2-Propenoic acid, 2-phenoxyethyl ester:
  - [Long term exposure] 12 mg/m<sup>3</sup>
  - [Short term exposure] hazard unknown (no further information necessary)
- Cyclic trimethylolpropane formal acrylate:
  - [Long term exposure] no hazard identified
  - [Short term exposure] no hazard identified
- 4-(1,1-dimethylethyl)cyclohexyl acrylate:
  - [Long term exposure] 2.5 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- N-vinylcaprolactam:
  - [Long term exposure] 4.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide:
  - [Long term exposure] 0.822 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified
- Neopentylglycol propoxylate diacrylate :
  - [Long term exposure] 32.9 mg/m<sup>3</sup>
  - [Short term exposure] no hazard identified

### 8.2. Exposure controls

Appropriate engineering controls

Provide general and/or local exhaust ventilation.

Respiratory protection:

Not required when sufficient ventilation is provided. In case of inadequate ventilation and exposure limits are exceeded or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN149 approved respirator (with activated carbon layer for organic vapour).

Hand protection:

Employee must wear appropriate protective impervious gloves to prevent contact with the ink. Recommended Chemical Protective Gloves are EN420/374 approved ethylene vinyl alcohol (EVOH) Gloves and Laminate gloves. Laminate gloves are made by cutting and then heat-sealing patterns of various hand sizes from laminated sheets of EVOH sealed between layers of polyethylene.

Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear EN166 approved safety glasses.

**Skin protection:**

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

**Hygiene measures:**

Wash hands after handling. In case contact with clothing, wash before reuse. Do not eat, drink or smoke in handling or storage area.

**Environmental exposure control:**

Avoid release to the environment.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Clear Liquid
Odour:	Characteristic odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	> 94deg.C
Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1.0-1.1
Solubility(ies):	Slightly soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	No data available

### 9.2 Other information

No information.

## 10. Stability and reactivity

**10.1 Reactivity:**

High temperatures and UV light may cause rapid polymerization.

**10.2 Chemical stability:**

Stable under normal temperature.

**10.3 Possibility of hazardous reactions:**

Not expected.

**10.4 Conditions to avoid:**

Elevated temperatures/heat, UV light, when not in use.

**10.5 Incompatible materials:**

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

**10.6 Hazardous decomposition products:**

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

**11. Toxicological information****11.1. Information on toxicological effects****Acute toxicity:**

N-vinylcaprolactam

LD50 (oral) : 1114mg/kgbw, LD50 (dermal): no data available, LD50 (Inhal.): no data available

**Serious eye damage/eye irritation:**

Causes serious eye irritation.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam

**Skin corrosion/irritation:**

Causes skin irritation.

- Cyclic trimethylolpropane formal acrylate
- 4-(1,1-dimethylethyl)cyclohexyl acrylate

**Respiratory or skin sensitisation:**

May cause an allergic skin reaction.

- 2-Propenoic acid, 2-phenoxyethyl ester
- Cyclic trimethylolpropane formal acrylate
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- N-vinylcaprolactam
- Neopentylglycol propoxylate diacrylate

**Germ cell mutagenicity:**

no data available.

**Reproductive toxicity:**

Suspected of damaging fertility or the unborn child.

- 2-Propenoic acid, 2-phenoxyethyl ester
- diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

**Carcinogenicity:**

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

**Specific target organ toxicity - single exposure, (STOT-SE):**

no data available.

**Specific target organ toxicity - repeat exposure, (STOT-RE):**

Causes damage to organs through prolonged or repeated exposure.

- N-vinylcaprolactam

**Aspiration hazard:**

no data available.

## 12. Ecological information

### 12.1. Toxicity:

Very toxic to aquatic life.

- 4-(1,1-dimethylethyl)cyclohexyl acrylate

Very toxic to aquatic life with long lasting effects.

- Butylated Hydroxytoluene

Toxic to aquatic life with long lasting effects.

- 2-Propenoic acid, 2-phenoxyethyl ester
- Cyclic trimethylolpropane formal acrylate
- 4-(1,1-dimethylethyl)cyclohexyl acrylate
- Neopentylglycol propoxylate diacrylate

### 12.2. Persistence and degradability:

No data available

### 12.3. Bioaccumulative potential:

No data available

### 12.4. Mobility in soil:

No data available

### 12.5. Results of PBT and vPvB assessment:

Has not carried out PBT and vPvB assessment.

**12.6. Other adverse effects:**

No data available

**13. Disposal considerations****13.1. Waste treatment methods**

Product: Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

**14. Transport information****14.1 UN Class/UN Number**

ADR/ADG/DOT, IMDG, or IATA : 3082

**14.2 UN proper shipping name**

ADR/ADG/DOT, IMDG, or IATA : Environmentall hazardous substance, liquid, n.o.s.

**14.3 Transport hazard class(es)**

ADR/ADG/DOT, IMDG, or IATA : 9

**14.4 Packing group**

ADR/ADG/DOT, IMDG, or IATA : III

**14.5 Environmental hazards**

ADR/ADG/DOT, IMDG, or IATA : Environmentally hazardous substance, liquid, n.o.s.

**14.6. Special precautions for user**

ADR/ADG/DOT, IMDG, or IATA : Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code:** Not regulated**15. Regulatory information**

EU Information: Chemical Safety Assessment according to (EC)1907/2006

This product has not carried out any Chemical Safety Assessment yet.

List of substances subject to SVHC - candidate list

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (CAS 75980-60-8)

International Information:

None of the ingredients in this ink is listed by IARC as a carcinogen. (1, 2A and 2B)

## 16. Other information

List of relevant H-Statements:

(Reference for Section 3. "Composition/information on ingredients")

- H302: Harmful if swallowed.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation.
- H335: May cause respiratory irritation.
- H361: Suspected of damaging fertility or the unborn child.
- H361: Suspected of damaging fertility or the unborn child.
- H372: Causes damage to organs through prolonged or repeated exposure.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.

# Safety Data Sheet

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

E-US-CL10

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaning liquid

### 1.3. Details of the supplier of the safety data sheet

Manufacturer's name: Roland DG Corporation

Address: 1-1-2 Shinmiyakoda, Hamana-ku, Hamamatsu-shi, Shizuoka-ken, 431-2103

Phone: + 81-53-484-1224

FAX: + 81-53-484-1226

E-mail:

Revised date: 1-April-2024

### 1.4. Emergency telephone:

## 2. Hazard identification

### 2.1. Classification of the substance or mixture

This product is classified as hazardous according to GHS.

Serious eye damage/eye irritation

Category 2

### 2.2. GHS label elements, including precautionary statements

Pictogram(s)



Signal Word:

Warning

Hazard Statement:

Causes serious eye irritation.

Precautionary statements — Prevention:

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements — Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

#### Potential Health Effects:

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.
Chronic Health Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenicity:	None of the ingredients in this cleaner is listed by IARC as a carcinogen. (1, 2A and 2B)
Others:	No information.

## 3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	% By Weight	GHS Classification
Diethylene glycol monobutyl ether	112-34-5	60-100	Eye Irrit. 2: H319

† For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. First aid measures

### 4.1. Description of first aid measures

Eyes:	In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open during flushing. Call a physician.
Skin:	In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. Seek immediate medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:	Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:	May cause injury of mouth, throat, and stomach.

### 4.3. Indication of any immediate medical attention and special treatment needed

no information



## 5. Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

Unsuitable extinguishing media:

Water, High-pressure water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

Flash Point: > 100deg.C

### 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.

### 6.2. Environmental precautions

Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.

### 6.3. Methods and material for containment and cleaning up

Sweep up material and dispose as waste following local regulations.

### 6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

## 7. Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

### 7.3 Specific end use(s):

Cleaning liquid

## 8. Exposure controls/ personal protection

### 8.1. Control parameters

Occupational Exposure Limits:

Derived No-Effect Level (DNEL)

### 8.2. Exposure controls

Appropriate engineering controls

Provide general and/or local exhaust ventilation.

Respiratory protection:

Not required when sufficient ventilation is provided. In case of inadequate ventilation and exposure limits are exceeded or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN149 approved respirator (with activated carbon layer for organic vapour).

Hand protection:

Not required under suitable use as setting the cleaning liquid on the printer. However, in case of direct contact to the cleaning liquid, use protective gloves. Recommended impervious gloves is EN420/374 approved butyl rubber glove.

Eye protection:

Not required under suitable use as setting the cleaning liquid on the printer. However, in case of direct contact to the cleaning liquid, wear EN166 approved safety glasses.

Skin protection:

Not required under suitable use as setting the cleaning liquid on the printer. However, in case of direct contact to the cleaning liquid, wear protective clothing.

Hygiene measures:

Wash hands after handling. In case contact with clothing, wash before reuse. Do not eat, drink or smoke in handling or storage area.

Environmental exposure control:

Avoid release to the environment.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:	Clear Liquid
Odour:	Slightly odour
Odour threshold:	Not defined
pH:	Not applicable
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	> 100deg.C

---

Evaporation rate:	No data available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.9-1.0
Solubility(ies):	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Volatile organic compounds (VOC) content:	No data available

## 9.2 Other information

No information.

## 10. Stability and reactivity

### 10.1 Reactivity:

No reactivity under normal temperature.

### 10.2 Chemical stability:

Stable under normal temperature.

### 10.3 Possibility of hazardous reactions:

Not expected.

### 10.4 Conditions to avoid:

Elevated temperatures/heat, UV light, when not in use.

### 10.5 Incompatible materials:

Avoid contact with acids, amines, free radical initiators, oxidizing agents.

### 10.6 Hazardous decomposition products:

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## 11. Toxicological information

### 11.1. Information on toxicological effects

**Acute toxicity:** None of the ingredients in this ink is classified as acute toxicant.

**Serious eye damage/eye irritation:**

Causes serious eye irritation.

- Diethylene glycol monobutyl ether

**Skin corrosion/irritation:**

no data available.

**Respiratory or skin sensitisation:**

no data available.

**Germ cell mutagenicity:**

no data available.

**Reproductive toxicity:**

no data available.

**Carcinogenicity:**

None of the ingredients in this cleaner is listed by IARC as a carcinogen. (1, 2A and 2B)

**Specific target organ toxicity - single exposure, (STOT-SE):**

no data available.

**Specific target organ toxicity - repeat exposure, (STOT-RE):**

no data available.

**Aspiration hazard:**

no data available.

**12. Ecological information**

**12.1. Toxicity:** No data available.

**12.2. Persistence and degradability:**

No data available

**12.3. Bioaccumulative potential:**

No data available

**12.4. Mobility in soil:**

No data available

**12.5. Results of PBT and vPvB assessment:**

Has not carried out PBT and vPvB assessment.

**12.6. Other adverse effects:**

No data available

**13. Disposal considerations****13.1. Waste treatment methods**

Product: Dispose as hazardous waste. Packaging with product residues must be disposed of under the same conditions as the product itself.

Recommended waste code: 08 03 12\* (waste ink containing dangerous substances)

Uncleaned packaging: 15 01 10\* (packaging, the residues of dangerous substances or hazardous waste contain or are contaminated by dangerous substances or special wastes)

Recommendation: Uncontaminated packaging can be recycled. Non-cleanable packaging must be disposed of in the same way as the substance.

**14. Transport information****14.1 UN Class/UN Number**

ADR/ADG/DOT, IMDG, or IATA : Not regulated

**14.2 UN proper shipping name**

ADR/ADG/DOT, IMDG, or IATA : Not regulated

**14.3 Transport hazard class(es)**

ADR/ADG/DOT, IMDG, or IATA : Not regulated

**14.4 Packing group**

ADR/ADG/DOT, IMDG, or IATA : Not regulated

**14.5 Environmental hazards**

ADR/ADG/DOT, IMDG, or IATA : Not regulated

**14.6. Special precautions for user**

ADR/ADG/DOT, IMDG, or IATA : Transport and storage of the product in accordance with general precautions and instructions mentioned in this SDS.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code:** Not regulated

**15. Regulatory information**

EU Information: Chemical Safety Assessment according to (EC)1907/2006

This product has not carried out any Chemical Safety Assessment yet.

**International Information:**

None of the ingredients in this cleaner is listed by IARC as a carcinogen. (1, 2A and 2B)

**16. Other information****List of relevant H-Statements:**

(Reference for Section 3. "Composition/information on ingredients")

— H319: Causes serious eye irritation.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.